




Max Dimensions:

Height: 700 mm | Length: 210 mm | Width: 210 mm Weight: 14 kg







Description:

The bike rack FILM (single version) is made in steel of 100/10 thickness. The spacers, where the wheels of the bikes are placed, are laser-cut and square-shaped to hook the bike. FILM can be fixed to the ground through specific bolts (not provided) through 4 holes of 12 mm diam.

For the realization of this product, Steel EN10111DD11 is used and later treated with a cycle of sandblasting, cataphoresis and powder coating. Such cycle is meant to guarantee the protection of the painted products, in an environment of C4 corrosion class, as requested by the UNI regulations EN ISO 12944-2. The products are eventually polyester-powder coated with RAL colours at choice.


This product is also available, on demand, in stainless steel AISI 316.







Max Dimensions:

Height: 700 | Length: 665 mm | Width: 210 mm Weight: 48 Kg







Description:

The bike rack FILM (4 bike version) is made in steel of 100/10 thickness. The spacers, where the wheels of the bikes are placed, are laser-cut and square-shaped to hook the bike. FILM can be fixed to the ground through specific bolts (not provided) through 4 holes of 12 mm diam.

For the realization of this product, Steel EN10111DD11 is used and later treated with a cycle of sandblasting, cataphoresis and powder coating. Such cycle is meant to guarantee the protection of the painted products, in an environment of C4 corrosion class, as requested by the UNI regulations EN ISO 12944-2. The products are eventually polyester-powder coated with RAL colours at choice.

This product is also available, on demand, in stainless steel AISI 316.