LAB23

Bench




CONTACTS: commerciale@lab23.it | www.lab23.it | t. +39 041 54 09 697

FLUXUS

Bench

Max dimensions:

Height: 472 mm | Width: 450 mm | Lenght: 1900 mm Weight of steel: 58 Kg



DESCRIPTION

The load-bearing structure is made in steel sheet 50/10 thickness, supported by steel profiles 50/10 thickness and 20 mm. h. The seat is made with WPC slats. On the base of the bench there are 4 holes (2 per leg), 11 mm diam. For the fixing to the ground through specific bolts (not provided). Steel EN10111DD11 is used for the realization of this product and all the elements in this material, after all the different stages (cutting, bending, welding), are treated with cataphoresis according to the UNI regulations and are later polyester powder-coated with RAL colours at choice. As an alternative to steel EN10111DD11, the production in corten is also available, on demand. In this case the material is treated with a specific oxidation process. WPC (Wood Plastic Composite) is made of 70% recycled wood and 30% recycled plastic.

LAB23

FLUXUS

7

12

1

Kar:

distant of the

用用用

Ni

A

AUTORIAL DE LEGEN EN LE COMERCE LA REVOLU REVENENCE OVERTRANS

0.00

K MAR

(States

PER RICORDARE SEMPRE I SOLDATI DEI VARI CONTINENTI I PARTIGIANI I CIVILI CHE NELL'AUTUNNO DEL 1914 SACRIFICARONO IN QUESTA TERRA LA LORO VITA PER LA LIBERTÀ E LA DEMOCRAZIA RIMINI CITTÀ MARTIRE RISORTA DALLA DISTRUZIONE PER VIRTU DELLA SUA GENTE GRIDA LA CONDANNA DELLA GUERRA ED ELEVA LA SUA FORTE VOLONTÀ DI PACE UNIVERSALE

Designer: Arch. Roberto Semprini